Alcotest 7110 Calibration Record

Equipment Alcotest 7110 MKIII-C Serial No.: ARUM-0066

Location: PENNSAUKEN TWSP. P.D.

Calib. Date: 07/19/2016 Calib. No.: 00029 Calibration File No.: 02117 Certification File No.: 02069 Cert. Date: 03/01/2016 Cert. No.: 00024 Linearity File No.: 02070 Lin. Date: 03/01/2016 Lin. No.: 00024 Solution File No.: 02116 Soln. Date: 07/06/2016 Soln. No.: 00220

Sequential File No.: 02117 File Date: 07/19/2016

Calibrating Unit: WET Model No.: CU-34 Serial No.: DDUN S3-0340

Control Solution %: 0.100% Expires: 08/17/2017
Solution Control Lot: 15H143 Bottle No.: 0845

Coordinator

Last Name: WATSON First Name: MATTHEW MI: R

*Black Key Temperature Probe Serial....#_____#____#_____#_____#______#

*Digital NIST Temperature Measuring System Serial.....# 159 671438

Pursuant to law, and the "Chemical Breath Testing Regulations" N.J.A.C., 13:51, I am a duly appointed Breath Test Coordinator/Instructor. In my official capacity, and consistent with "Calibration Check Procedure for Alcotest 7110," as established by the Chief Forensic Scientist of the Division of State Police, I perform calibration checks on approved instruments employing infrared analysis and electrochemical analysis, when utilized in a single approved instrument as a dual system of chemical breath testing. Pursuant to, and consistent with, the current "Calibration Check Procedure for Alcotest 7110," as established by the Chief Forensic Scientist, I performed a Calibration Check on the approved instrument identified on this certificate. The results of my Calibration Check are recorded on this certificate, which consists of two parts on two pages: Part I - Control Tests; and Part II - Linearity Tests. I certify that the foregoing statements made by me are true. I am aware that if any of the foregoing statements made by me are wilfully false, I am subject to punishment.

Alcotest 7110 Calibration Certificate

Part I - Control Tests

Equipment Location:	Alcotest 7110 PENNSAUKE		D.		Serial No.: ARUM-0066
Calibration File No.:	02117		Calib. Date	: 07/19/2016	Calib. No.: 00029
Certification File No .:	02118		Cert. Date:	07/19/2016	Cert. No.: 00025
Linearity File No.:	02070		Lin. Date:	03/01/2016	Lin. No.: 00024
Solution File No.:	02116		Soln. Date:	07/06/2016	Soln. No.: 00220
Sequential File No.:	02118		File Date:	07/19/2016	
Calibrating Unit:	WET		Model No.:	CU-34	Serial No.: DDUN S3-0340
Control Solution %:	0.100%				Expires: 08/17/2017
Solution Control Lot:	15H143				Bottle No.: 0845
Function		Result	Time	Temperature	Comment(s)
		%BAC	HH:MM	Simulator (°C)	or Error(s)
Ambient Air Blank		0.000%	12:30D		
Control 1 EC		0.099%	12:31D	34.0°C	*** TEST PASSED ***
Control 1 IR		0.100%	12:31D	34.0°C	*** TEST PASSED ***
Ambient Air Blank		0.000%	12:31D		
Control 2 EC		0.099%	12:32D	34.0°C	*** TEST PASSED ***
Control 2 IR		0.100%	12:32D	34.0°C	*** TEST PASSED ***
Ambient Air Blank		0.000%	12:32D		
Control 3 EC		0.100%	12:33D	34.0°C	*** TEST PASSED ***
Control 3 IR		0.099%	12:33D	34.0°C	*** TEST PASSED ***
Ambient Air Blank		0.000%	12:33D		

All tests within acceptable tolerance.

Coordinator

Last Name: WATSON

First Name: MATTHEW

MI: R

#7078 Signature:

Badge No.: 7078

07/19/2016 Date:

Pursuant to law, and the "Chemical Breath Testing Regulations" N.J.A.C. 13:51, I am a duly appointed Breath Test Coordinator/Instructor. In my official capacity, and consistent with "Calibration Check Procedure for Alcotest 7110," as established by the Chief Forensic Scientist of the Division of State Police, I perform calibration checks on approved instruments employing infrared analysis and electrochemical analysis, when utilized in a single approved instrument as a dual system of chemical breath testing. Pursuant to, and consistent with, the current "Calibration Check Procedure for Alcotest 7110,"as established by the Chief Forensic Scientist, I performed a Calibration Check on the approved instrument identified on this certificate. The results of my Calibration Check are recorded on this certificate, which consists of two parts on two pages: Part I - Control Tests; and Part II - Linearity Tests. I certify that the foregoing statements made by me are true. I am aware that if any of the foregoing statements made by me are wilfully false, I am subject to punishment.

Alcotest 7110 Calibration Certificate Part II - Linearity Tests

Equipment Location:	Alcotest 7110 PENNSAUKE		D.		Serial No.: ARUM-0066
Calibration File No.:	02117			: 07/19/2016	Calib. No.: 00029
Certification File No.:	02118		Cert. Date:	07/19/2016	Cert. No.: 00025
Linearity File No.:	02119		Lin. Date:	07/19/2016	Lin. No.: 00025
Solution File No.:	02116		Soln. Date:		Soln. No.: 00220
Sequential File No.:	02119		File Date:	07/19/2016	
Calibrating Unit:	WET		Model No.:	CU-34	Serial No.: DDAE-0021
Control Solution %:	0.040%				Expires: 08/11/2017
Solution Control Lot:	15H141				Bottle No.: 0609
Calibrating Unit:	WET		Model No.:	CU-34	Serial No.: DDAE-0023
Control Solution %:	0.080%				Expires: 08/13/2017
Solution Control Lot:	15H142				Bottle No.: 0132
Calibrating Unit:	WET		Model No.:	CU-34	Serial No.: DDWF S3-0225
Control Solution %:	0.160%				Expires: 08/19/2017
Solution Control Lot:	15H144				Bottle No.: 1282
Function		Result	Time	Temperature	Comment(s)
		%BAC	HH:MM	Simulator (°C)	or Error(s)
Ambient Air Blank		0.000%	12:48D		
Control 1 EC		0.039%	12:49D	34.0°C	*** TEST PASSED ***
Control 1 IR		0.041%	12:49D	34.0°C	*** TEST PASSED ***
Ambient Air Blank		0.000%	12:50D 12:51D	24.000	
Control 2 EC Control 2 IR		0.038%	17.211)		WARK TITOTI DA COULD ANAM
		0.04007		34.0°C	*** TEST PASSED ***
Ambient Air Blonk		0.040%	12:51D	34.0°C	*** TEST PASSED *** *** TEST PASSED ***
Ambient Air Blank		0.000%	12:51D 12:52D	34.0°C	*** TEST PASSED ***
Control 3 EC		0.000% 0.079%	12:51D 12:52D 12:53D	34.0°C 34.0°C	*** TEST PASSED *** *** TEST PASSED ***
Control 3 EC Control 3 IR		0.000% 0.079% 0.082%	12:51D 12:52D 12:53D 12:53D	34.0°C	*** TEST PASSED ***
Control 3 EC Control 3 IR Ambient Air Blank		0.000% 0.079% 0.082% 0.000%	12:51D 12:52D 12:53D 12:53D 12:54D	34.0°C 34.0°C 34.0°C	*** TEST PASSED *** *** TEST PASSED *** *** TEST PASSED ***
Control 3 EC Control 3 IR Ambient Air Blank Control 4 EC		0.000% 0.079% 0.082% 0.000% 0.079%	12:51D 12:52D 12:53D 12:53D 12:54D 12:55D	34.0°C 34.0°C 34.0°C 34.0°C	*** TEST PASSED *** *** TEST PASSED *** *** TEST PASSED *** *** TEST PASSED ***
Control 3 EC Control 3 IR Ambient Air Blank		0.000% 0.079% 0.082% 0.000% 0.079% 0.079%	12:51D 12:52D 12:53D 12:53D 12:54D 12:55D 12:55D	34.0°C 34.0°C 34.0°C	*** TEST PASSED *** *** TEST PASSED *** *** TEST PASSED ***
Control 3 EC Control 3 IR Ambient Air Blank Control 4 EC Control 4 IR		0.000% 0.079% 0.082% 0.000% 0.079%	12:51D 12:52D 12:53D 12:53D 12:54D 12:55D	34.0°C 34.0°C 34.0°C 34.0°C	*** TEST PASSED ***
Control 3 EC Control 3 IR Ambient Air Blank Control 4 EC Control 4 IR Ambient Air Blank		0.000% 0.079% 0.082% 0.000% 0.079% 0.079% 0.000%	12:51D 12:52D 12:53D 12:53D 12:54D 12:55D 12:55D 12:55D	34.0°C 34.0°C 34.0°C 34.0°C 34.0°C	*** TEST PASSED *** *** TEST PASSED *** *** TEST PASSED *** *** TEST PASSED ***
Control 3 EC Control 3 IR Ambient Air Blank Control 4 EC Control 4 IR Ambient Air Blank Control 5 EC		0.000% 0.079% 0.082% 0.000% 0.079% 0.079% 0.000% 0.161%	12:51D 12:52D 12:53D 12:53D 12:54D 12:55D 12:55D 12:55D 12:56D 12:57D	34.0°C 34.0°C 34.0°C 34.0°C 34.0°C 34.1°C	*** TEST PASSED ***
Control 3 EC Control 3 IR Ambient Air Blank Control 4 EC Control 4 IR Ambient Air Blank Control 5 EC Control 5 IR		0.000% 0.079% 0.082% 0.000% 0.079% 0.079% 0.000% 0.161%	12:51D 12:52D 12:53D 12:53D 12:54D 12:55D 12:55D 12:55D 12:56D 12:57D 12:57D	34.0°C 34.0°C 34.0°C 34.0°C 34.0°C 34.1°C	*** TEST PASSED ***
Control 3 EC Control 3 IR Ambient Air Blank Control 4 EC Control 4 IR Ambient Air Blank Control 5 EC Control 5 IR Ambient Air Blank		0.000% 0.079% 0.082% 0.000% 0.079% 0.000% 0.161% 0.161% 0.000% 0.160% 0.162%	12:51D 12:52D 12:53D 12:53D 12:54D 12:55D 12:55D 12:55D 12:57D 12:57D 12:57D 12:58D 12:58D 12:58D	34.0°C 34.0°C 34.0°C 34.0°C 34.0°C 34.1°C 34.1°C	*** TEST PASSED ***
Control 3 EC Control 3 IR Ambient Air Blank Control 4 EC Control 4 IR Ambient Air Blank Control 5 EC Control 5 IR Ambient Air Blank Control 6 EC		0.000% 0.079% 0.082% 0.000% 0.079% 0.000% 0.161% 0.161% 0.000% 0.160%	12:51D 12:52D 12:53D 12:53D 12:54D 12:55D 12:55D 12:55D 12:56D 12:57D 12:57D 12:57D 12:58D 12:58D	34.0°C 34.0°C 34.0°C 34.0°C 34.0°C 34.1°C 34.1°C	*** TEST PASSED *** *** TEST PASSED ***

All tests within acceptable tolerance.

Coordinator

First Name: MATTHEW Last Name: WATSON MI: R

Signature: Tor. The Horse Name #7078 Badge No.: 7078 Date: 07/19/2016

Calibrating Unit New Standard Solution Report

Equipment Location:	Alcotest 7110 PENNSAUK		.D.		Serial No.: ARUM-0	066
Calibration File No.:	02117		Calib. Date	: 07/19/2016	Calib. No.: 00029	
Certification File No.:			Cert. Date:	07/19/2016	Cert. No.: 00025	
Linearity File No.:	02119		Lin. Date:	07/19/2016	Lin. No.: 00025	
Solution File No.:	02120		Soln. Date:	07/19/2016	Soln. No.: 00221	
Sequential File No.:	02120		File Date:	07/19/2016		
Calibrating Unit: Control Solution %: Solution Control Lot:	WET 0.100% 201603L		Model No.:	CU-34	Serial No.: DDUN SExpires: 03/22/2018 Bottle No.: 0880	
Function		Result	Time	Temperature	Comment(s)	
		%BAC	HH:MM	Simulator (°C)	or Error(s)	
Ambient Air Blank		0.000%	14:07D			
Control 1 EC		0.098%	14:08D	33.9°C	*** TEST PASSED **	**
Control 1 IR		0.103%	14:08D	33.9°C	*** TEST PASSED **	**
Ambient Air Blank		0.000%	14:08D			
Control 2 EC		0.098%	14:09D	33.9°C	*** TEST PASSED **	**
Control 2 IR		0.103%	14:09D	33.9°C	*** TEST PASSED **	**
Ambient Air Blank		0.000%	14:09D			
Control 3 EC		0.098%	14:10D	33.9°C	*** TEST PASSED **	**
Control 3 IR		0.101%	14:10D	33.9°C	*** TEST PASSED **	**
Ambient Air Blank		0.000%	14:10D			

All tests within acceptable tolerance.

On this date, I installed the above indicated "NEW SOLUTION" in acordance with Alcotest 7110 operator training and procedures established by the (NJSP) Chief Forensic Scientist.

Temperature Probe Serial Number:	0DUJ P2-	47 (rct,w)

Changed By:

Last Name: WATSON

First Name: MATTHEW

Badge No.: 7078

Date:

07/19/2016

MI: R

Dräger

CERTIFICATE OF ACCURACY

This Certificate of Accuracy verifies that he specified unit has been examined and found to be in compliance with National Highway and Traffic Safety Administration regulations for devices used to calibrate Evidential Breath Testers.

[F.R. Vol. 59 No. 249] 2/19/94 Notices)

Braeger Safety Dagnostics, Inc.

Model: ALCOTEST ⁴ CU Model: MARK FA Of Other:	34	Sorial Number:	
Certification Date 8 - 18 - 15	Technic an	Re-Certification Duc Detr 8 - 18 - 16	



Dräger

CERTIFICATE OF ACCURACY

This Certificate of Accuracy verifies that the specified unit has been examined and found to be in compliance with National Highway and Traffic Safety Administration regulations for devices used to calibrate Evidential Breath Testers.

(F.R. Vol. 59 No. 249 12/19/94 Notices)

Draeger Saidty Diagnostics, inc.

Model: ALCOTEST® Model: MARK IIA Other:	CU34	Serial Number:
Certification Date - 18-15	Techn. sian	Re-Certification Due Date 8 - 18 - 16



Dräger


CERTIFICATE OF ACCURACY

This Certificate of Accuracy verifies that the specified unit has been examined and found to be in compliance with National Highway and Traffic Safety Administration regulations for devices used to calibrate Evidential Breath Testers.

(F.R. Vol. 59 No. 249 12/19/94 Notices)

Dracger Safety Linguostics, Inc.

Model: ALCOTEST [®] CU34 Model: MARK IIA Cther:		Serial Number: DDWFS3-0125
Certification Date	Techni gian	Re-Certification Due Date
8-18-15	34/RC	8-18-16
	Deliver vool min field	





Calibration complies with ISO/IEC 17025, ANSI/NCSL Z540-1, and 9001



Cert. No.: 4000-7039468

Certificate No. 1750.01
Traceable® Certificate of Calibration for Digital Thermometer

Manufactured for and distributed by: VWR International, LLC, Radnor Corporate Center, Bldg 1, Ste 200, 100 Matsonford Road, Radnor, PA 19087 Instrument Identification:

Model: 61220-601

S/N: 150671438

Manufacturer: Control Company

Standards/Equipment:

Serial Number	Due Date	NIST Traceable Reference
B01375		
128	4/02/16	15-A0P2S-40-1
A17118	3/03/16	1000371058
A45240		
A17118	3/03/16	1000371058
3039	4/02/16	15A0P2S-20-1
A79341	*	
A27129	11/04/15	1000365407
5202	11/19/16	6-CV9Y2-1-1
B3A444		
A27129	11/04/15	1000365407
5267	11/19/16	6-CV9Y0-1-1
	B01375 128 A17118 A45240 A17118 3039 A79341 A27129 5202 B3A444 A27129	B01375 128 4/02/16 A17118 3/03/16 A45240 A17118 3039 4/02/16 A79341 A27129 11/04/15 5202 11/19/16 B3A444 A27129 11/04/15

Certificate Information:

Technician: 68

Procedure: CAL-06

Cal Date: 9/09/15

Due Date: 9/09/17

Test Conditions:

24 7°C 45

45.0 %RH 1014 mBar

Calibration Data: (New Instrument)

Unit(s)	Nominal	As Found	In Tol	Nominal	As Left	In Tol	Min	Max	±U	TUR
°C		N.A.		0.001	0.001	Y	-0.049	0.051	0.013	3.8:1
°C		N.Ā.		25.001	25.000	Y	24.951	25.051	0.014	3.6:1
°C		N.A.		50.000	50.000	Y	49.950	50.050	0.014	3.6:1
°C		N.A.		100.002	99.998	Y.	99.952	100.052	0.014	3.6:1

This Instrument was calibrated using Instruments Traceable to National Institute of Standards and Technology.

A Test Uncertainty Ratio of at least 4:11 is maintained unless otherwise stated and is calculated using the expanded measurement uncertainty. Uncertainty evaluation includes the instrument under test and is calculated in accordance with the ISO "Guide to the Expression of Uncertainty in Measurement" (GUM). The uncertainty represents an expanded uncertainty using a coverage factor k=2 to approximate a 95% confidence level. In tolerance conditions are based on test results falling within specified limits with no reduction by the uncertainty of the measurement. The results contained herein relate only to the item calibrated. This certificate shall not be reproduced except in full, without written approval of Control Company.

Nominal=Standard's Reading; As Left=Instrument's Reading; In Tol=In Tolerance; Min/Max=Acceptance Range; ±U=Expanded Measurement Uncertainty; TUR=Test Uncertainty Ratio; Accuracy=±(Max-Min)/2; Min = As Left Nominal(Rounded) - Tolerance; Max = As Left Nominal(Rounded) + Tolerance; Date=MM/DD/YY

Micol Rodriguez, Quality Manager

Aaron Judice, Technical Manager

Maintaining Accuracy:

In our opinion once calibrated your Digital Thermometer should maintain its accuracy. There is no exact way to determine how long calibration will be maintained. Digital Thermometers change little, if any at all, but can be affected by aging, temperature, shock, and contamination.

Recalibration:

For factory calibration and re-certification traceable to National Institute of Standards and Technology contact Control Company

CONTROL COMPANY 4455 Rex Road Friendswood, TX 77546 USA Phone 281 482-1714 Fax 281 482-9448 service@control3.com www.control3.com

Control Company is an ISO 17025:2005 Calibration Laboratory Accredited by (A2LA) American Association for Laboratory Accreditation, Certificate No. 1750.01.

Control Company is ISO 9001:2008 Quality Certified by (DNV) Det Norske Veritas, Certificate No. CERT-01805-2006-AQ-HOU-RvA.

International Laboratory Accreditation Cooperation (ILAC) - Multilateral Recognition Arrangement (MRA).

Page 1 of 1

Traceable® is a registered trademark of Control Company

© 2009 Control Company



State of New Jersey

OFFICE OF THE ATTORNEY GENERAL
DEPARTMENT OF LAW AND PUBLIC SAFETY
DIVISION OF STATE POLICE
POST OFFICE BOX 7668
WEST TRENTON, NJ 08628-0068
(609) 862-2000

JOHN J. HOFFMAN
Acting Attorney General

COLONEL JOSEPH R. FUENTES
Superintendent

CERTIFICATION OF ANALYSIS 0.10 PERCENT BREATH ALCOHOL SIMULATOR SOLUTION

ACCEPTANCE SPECIFICATIONS FOR BREATH ALCOHOL SIMULATOR SOLUTION: Ethyl alcohol concentration within, but not exceeding, the range of 0.1174 to 0.1246 grams per 100 milliliters of solution.

MANUFACTURER: Draeger Safety, Inc.

CHRIS CHRISTIE

Governor

KIM GUADAGNO

Lt. Governor

ANALYSIS DATE: 09/14/2015

BREATH ALCOHOL SIMULATOR SOLUTION LOT NUMBER: 15H143

Representative samples of the above-referenced Lot Number were tested by Gas Chromatography and found to have a mean ethyl alcohol concentration range of <u>0.1198</u> to <u>0.1226</u> grams per 100 milliliters of solution.

This lot of breath alcohol simulator solution may be utilized as a known traceable standard for the purpose of conducting periodic tests, pursuant to N.J.A.C. 13:51-4.3, of approved breath test instruments (N.J.A.C. 13:51-3.5) utilized by law enforcement agencies in this State. The manufacturer's expiration date for this lot of breath alcohol simulator solution is <u>August 17, 2017</u>.

As Research Scientist for the Division of State Police, I hereby certify and attest that the tests and results documented in this Certificate of Analysis were performed at the Office of Forensic Sciences of the Division of State Police on properly functioning and calibrated instruments and equipment. All procedures utilized are accurate, objective, and performed on a routine basis by personnel within the Office of Forensic Sciences, in accordance with their professional duties and responsibilities.

Ali M. Alaouie, Ph.D. Research Scientist

NJSP Office of Forensic Sciences

Sworn to and subscribed before me this 12 day of Society

MARY ELIZABETH MCLAUGHLIN

ID # 2052190 NOTARY PUBLIC STATE OF NEW JERSEY My Commission Expires Dec. 24, 2018



"An Internationally Accredited Agency"

New Jersey Is An Equal Opportunity Employer Printed on Recycled Paper and Recycloble





State of New Jersey Office of the Attorney General

OFFICE OF THE ATTORNEY GENERAL
DEPARTMENT OF LAW AND PUBLIC SAFETY
DIVISION OF STATE POLICE
POST OFFICE BOX 7068

West Trenton, NJ 08628-0068 (609) 882-2000 JOHN J. HOFFMAN
Acting Attorney General

COLONEL JOSEPH R. FUENTES
Superintendent

CERTIFICATION OF ANALYSIS 0.04 PERCENT BREATH ALCOHOL SIMULATOR SOLUTION

ACCEPTANCE SPECIFICATIONS FOR BREATH ALCOHOL SIMULATOR SOLUTION: Ethyl alcohol concentration within, but not exceeding, the range of 0.0469 to 0.0499 grams per 100 milliliters of solution.

MANUFACTURER: Draeger Safety, Inc.

CHRIS CHRISTIE

Governor

KIM GUADAGNO

Li. Governor

ANALYSIS DATE: 9/10/2015

BREATH ALCOHOL SIMULATOR SOLUTION LOT NUMBER: 15H141

Representative samples of the above-referenced Lot Number were tested by Gas Chromatography and found to have a mean ethyl alcohol concentration range of <u>0.0478</u> to <u>0.0487</u> grams per 100 milliliters of solution.

This lot of breath alcohol simulator solution may be utilized as a known traceable standard for the purpose of conducting periodic tests, pursuant to N.J.A.C. 13:51-4.3, of approved breath test instruments (N.J.A.C. 13:51-3.5) utilized by law enforcement agencies in this State. The manufacturer's expiration date for this lot of breath alcohol simulator solution is <u>August 11, 2017</u>.

As Research Scientist for the Division of State Police, I hereby certify and attest that the tests and results documented in this Certificate of Analysis were performed at the Office of Forensic Sciences of the Division of State Police on properly functioning and calibrated instruments and equipment. All procedures utilized are accurate, objective, and performed on a routine basis by personnel within the Office of Forensic Sciences, in accordance with their professional duties and responsibilities.

Ali M. Alaouie, Ph.D. Research Scientist

NJSP Office of Forensic Sciences

Sworn to and subscribed before me this 11th day of September, 2015.

MARY ELIZABETH MCLAUGHLIN

ID # 2052190 NOTARY PUBLIC STATE OF NEW JERSEY My Commission Expires Dec. 24, 2018



"An Internationally Accredited Agency"

New Jersey Is An Equal Opportunity Employer Printed on Recycled Paper and Recycloble





State of New Jersey Office of the Attorney General.

OFFICE OF THE ATTORNEY GENERAL,
DEPARTMENT OF LAW AND PUBLIC SAFETY
DIVISION OF STATE POLICE
POST OFFICE BOX 7068
WEST TRENTON, NJ 68628-0068

(609) 882-2000

JOHN J. HOFFMAN
Acting Attorney General

COLONEL JOSEPH R. FUENTES
Superintendent

CERTIFICATION OF ANALYSIS 0.08 PERCENT BREATH ALCOHOL SIMULATOR SOLUTION

ACCEPTANCE SPECIFICATIONS FOR BREATH ALCOHOL SIMULATOR SOLUTION: Ethyl alcohol concentration within, but not exceeding, the range of 0.0939 to 0.0997 grams per 100 milliliters of solution.

MANUFACTURER: Dragger Safety, Inc.

CHRIS CHRISTIB

Gavernor

KIM GUADAGNO

Li. Governor

ANALYSIS DATE: 9/17/2015

BREATH ALCOHOL SIMULATOR SOLUTION LOT NUMBER: 15H142

Representative samples of the above-referenced Lot Number were tested by Gas Chromatography and found to have a mean ethyl alcohol concentration range of 0.0959 to 0.0967 grams per 100 milliliters of solution.

This lot of breath alcohol simulator solution may be utilized as a known traceable standard for the purpose of conducting periodic tests, pursuant to N.J.A.C. 13:51-4.3, of approved breath test instruments (N.J.A.C. 13:51-3.5) utilized by law enforcement agencies in this State. The manufacturer's expiration date for this lot of breath alcohol simulator solution is <u>August 13, 2017</u>.

As Research Scientist for the Division of State Police, I hereby certify and attest that the tests and results documented in this Certificate of Analysis were performed at the Office of Forensic Sciences of the Division of State Police on properly functioning and calibrated instruments and equipment. All procedures utilized are accurate, objective, and performed on a routine basis by personnel within the Office of Forensic Sciences, in accordance with their professional duties and responsibilities.

Ati M. Alaouie, Ph.D. Research Scientist

NJSP Office of Forensic Sciences

Sworn to and subscribed before me this

Et day of Lotter

3 2015

WARY ELIZABETH MC AUGHUIA

ID # 2052190 NOTARY PUBLIC STATE OF NEW JERSEY My Commission Expires Dec. 24, 2018



"An Internationally Accredited Agency"

New Jersey Is An Equal Opportunity Employer Printed on Recycled Paper and Recycloide





State of New Jersey Office of the Attorney General

OFFICE OF THE ATTORNEY GENERAL
DEPARTMENT OF LAW AND PUBLIC SAFETY
DIVISION OF STATE POLICE
POST OFFICE BOX 7068
WEST TRENTON, NJ 08628-0068

(609) 882-2000

JOHN J. HOFFMAN
Acting Attorney General

COLONEL JOSEPH R. FUENTES
Superintendent

Governor
KIM GUADAGNO
Lt. Governor

CHRIS CHRISTIB

CERTIFICATION OF ANALYSIS 0.16 PERCENT BREATH ALCOHOL SIMULATOR SOLUTION

ACCEPTANCE SPECIFICATIONS FOR BREATH ALCOHOL SIMULATOR SOLUTION: Ethyl alcohol concentration within, but not exceeding, the range of 0.1878 to 0.1994 grams per 100 milliliters of solution.

MANUFACTURER: Draeger Safety, Inc.

ANALYSIS DATE: 9/17/2015

BREATH ALCOHOL SIMULATOR SOLUTION LOT NUMBER: 15H144

Representative samples of the above-referenced Lot Number were tested by Gas Chromatography and found to have a mean ethyl alcohol concentration range of 0.1936 to 0.1952 grams per 100 milliliters of solution.

This lot of breath alcohol simulator solution may be utilized as a known traceable standard for the purpose of conducting periodic tests, pursuant to N.J.A.C. 13:51-4.3, of approved breath test instruments (N.J.A.C. 13:51-3.5) utilized by law enforcement agencies in this State. The manufacturer's expiration date for this lot of breath alcohol simulator solution is <u>August 19, 2017</u>.

As Research Scientist for the Division of State Police, I hereby certify and attest that the tests and results documented in this Certificate of Analysis were performed at the Office of Forensic Sciences of the Division of State Police on properly functioning and calibrated instruments and equipment. All procedures utilized are accurate, objective, and performed on a routine basis by personnel within the Office of Forensic Sciences, in accordance with their professional duties and responsibilities.

Ali M. Alaouie, Ph.D.

Research Scientist

NJSP Office of Forensic Sciences

Sworn to and subscribed before me this 18 day of September, 2015.

Notary

JOHN R LEAVER

NOTARY PUBLIC STATE OF NEW JERSEY My Commission Expires Dec. 14, 2017



"An Internationally Accredited Agency"

New Jersey Is An Equal Opportunity Employer Printed on Recycled Paper and Recyclable





State of New Jersey

CHRIS CHRISTIE

Governor

KIM GUADAGNO

OFFICE OF THE ATTORNEY GENERAL
DEPARTMENT OF LAW AND PUBLIC SAFETY
DIVISION OF STATE POLICE
POST OFFICE BOX 7068
WEST TRENTON, NJ 08628-0068
(609) 882-2000

ROBERT T. LOUGY
Acting Attorney General

COLONEL JOSEPH R. FUENTES
Superintendent

CERTIFICATION OF ANALYSIS 0.10 PERCENT BREATH ALCOHOL SIMULATOR SOLUTION

ACCEPTANCE SPECIFICATIONS FOR BREATH ALCOHOL SIMULATOR SOLUTION: Ethyl alcohol concentration within, but not exceeding, the range of 0.1174 to 0.1246 grams per 100 milliliters of solution.

MANUFACTURER: Draeger Safety, Inc.

ANALYSIS DATE: 04/13/2016

BREATH ALCOHOL SIMULATOR SOLUTION LOT NUMBER: 201603L

Representative samples of the above-referenced Lot Number were tested by Gas Chromatography and found to have a mean ethyl alcohol-concentration range of 0.1222 to 0.1232 grams per 100 milliliters of solution.

This lot of breath alcohol simulator solution may be utilized as a known traceable standard for the purpose of conducting periodic tests, pursuant to N.J.A.C. 13:51-4.3, of approved breath test instruments (N.J.A.C. 13:51-3.5) utilized by law enforcement agencies in this State. The manufacturer's expiration date for this lot of breath alcohol simulator solution is March 22, 2018.

As Research Scientist for the Division of State Police, I hereby certify and attest that the tests and results documented in this Certificate of Analysis were performed at the Office of Forensic Sciences of the Division of State Police on properly functioning and calibrated instruments and equipment. All procedures utilized are accurate, objective, and performed on a routine basis by personnel within the Office of Forensic Sciences, in accordance with their professional duties and responsibilities.

Ali M. Alaouie, Ph.D. Research Scientist

NJSP Office of Forensic Sciences

Sworn to and subscribed before me this 14 day of Apr: 1, 2016

Notary DI EAVE

NOTARY PUBLIC STATE OF NEW JERSEY My Commission Expires Dec. 14, 2017

(TA)

"An Internationally Accredited Agency"

New Jersey Is An Equal Opportunity Employer
Printed on Recycled Paper and Recyclobic



DEPARTMENT OF and Hublic Sufet	ORIGINAL COURSE DATES Refresher Course DATE PLACE INSTRUCTOR 1. 2.
Matthew R. Watson Breath Test Coordinator Instructor Is QUALIFIED AND COMPETENT TO COMPUTE GENERALH ANALYSES PURSUANT TO CHAPTER 142 OF THE LAWS OF 196 IN THE OPERATION OF THE ALCOTEST 7110 MKIII-C AMETHOD TO DETERMONE INTOXICATION, GIVEN UNDER MY HAND AT TRENTON, NEW JERSEY THES 8th DAY OF June THYSTHOUSAND AND Sixteen	3. 4. 5. 6. 7. 8.
SUPERITORIES ACTION ACT	9. S.P. 293B (Rev. 08/13) ORIGINAL COURSE DATES Refresher Course DATE PLACE INSTRUCTOR
Matthew, R. Watson New Jersey State Police Is qualified and competent to compute distal explicit a might see jungulant to charter 142 of the Laws of 1006 in the operation of the Alcolest 7110 MKIII-C Ametrico to determine rationication, new jerses and other day of August	1. 11.8.12 6 CPA Lyn Rom 2. 7/14/15 CMPA CHOMESTANDO 3. 4. 5. 6. 7.
TWO THOUSAND AND I CII SUPERITERIORIT ATTORET GENERAL MEW JERSEY STATE POLICE STATE OF NEW JERSEY	8. 9. S.P. 2938 (Rev. 03/10)





Dräger

CERTIFICATE OF ACCURACY

This Certificate of Accuracy verifies that the specified unit has been examined and found to be in compliance with National Highway and Traffic Safety Administration regulations for devices used to calibrate Evidential Breath Testers.

(F.R. Vol. 59 No. 249 12/19/94 Notices)

Draeger Safety Diagnostics, Inc.

0		-,
Model: ALCOTEST® CU3 Model: MARK IIA Other:	4	Serial Number: DDUN 53-0340
Certification Date 3-21-16	Technician BC	Re-Certification Due Date 3-21-17

