

**TOWNSHIP OF PENNSAUKEN
CAMDEN COUNTY, NEW JERSEY**

NOTICE TO BIDDERS

Notice is hereby given that sealed Competitive Contracting Proposals will be received by the Township of Pennsauken on Wednesday, July 15, 2020 at 10:30 am prevailing time at the Pennsauken Municipal Building, 5605 N. Crescent Blvd. Pennsauken, NJ 08110 at which time and place proposals will be opened and read in public for:

Bid 20-03: The Township of Pennsauken is seeking proposals for the remounting of two (2) Ambulances with existing boxes for Pennsauken EMS.

Proposals must be made on the standard proposal forms, be enclosed in a sealed package bearing the name and address of the bidder and Bid #, Bid Title, and Respondent Name on the outside, addressed to Pamela Scott-Forman, Acting Township Clerk at the address above.

Specifications and Proposal forms are on file in the office of the Township Clerk and may be obtained during regular hours of business 8:30 am and 4:40 pm Monday through Friday. **Cost is \$20.00 (\$25.00 if mailed)** and is non-refundable. They may also be downloaded from the Townships website free of charge at www.twp.pennsauken.nj.us

Pursuant to N.J.S.A. 40A:11-23c, Addenda may be issued for the bids. It is the sole responsibility of the respondent to be knowledgeable of all addenda related to this procurement. If bidders obtain a bid from the website, it is their responsibility to check the website and purchasing department prior to the Bid opening to see if addenda have been issued. Copies of addenda or notice of same, will be made available on the Township website or will be faxed or sent via U.S. Mail to all registered vendors, bidders who pick up bid specifications from the Municipal Building or receive specifications by mail will automatically receive copies of addenda.

The right is reserved to reject any or all proposals, in whole or in part, or to make awards to such bidder or bidders who, in the judgement of the Township Committee makes the most advantageous bid and to waive such informalities as may be permitted by law.

Bidders are required to comply with the requirements of N.J.S.A. 10:5-31 and N.J.S.C. 17:27 et seq.

By order of the Township Committee of the Township of Pennsauken, in the County of Camden and the State of New Jersey.

Pamela Scott-Forman
Acting Township Clerk
June 25, 2020

Pennsauken Township
5605 N Crescent Blvd
Pennsauken, NJ 08110-1899

Bid Specifications

For one 2019 Model Year and one 2021 Model Year Ford E-350
Remount/refurbished Emergency Medical Vehicle per the attached bid
specifications.

Date: _____

Pennsauken Township
5605 N Crescent Blvd
Pennsauken, NJ 08110-1899

BID PROPOSAL FORM:

The undersigned hereby declares that he has carefully examined the specifications and the advertisement for the equipment or project described and that he will contract to supply the equipment or project in accordance with said specifications, for the **Township of Pennsauken.**

BID PRICING:

For **one 2019 Model Year and one 2021 Model Year Ford E-350** Remount/refurbished Emergency Medical Vehicle per the attached bid specifications.

Bid Price Vehicle 101:	\$ _____
Bid Price Vehicle 103:	\$ _____
<u>Total Bid Price:</u>	\$ _____

Name of Bidder: _____

Address of Bidder: _____

Delivery Date: _____

Bidder's Signature: _____

AMBULANCE SPECIFICATIONS

PENNSAUKEN EMS
5605 N. CRESCENT BOULEVARD
PENNSAUKEN, NJ 08110

SPECIFICATIONS FOR EMERGENCY MEDICAL VEHICLE:

BIDDER INSTRUCTIONS:

The following specification describes an ambulance rechassis that is expected to be acquired by this purchaser. The specification describes the needs of this purchaser as far as chassis configuration and module body refurbishment required. A state of the art vehicle is required. However, manufacturers that utilize prototype equipment or manufacturing processes will not be considered. The builder's manufacturing history shall be supported by documentation where applicable, and by the reference section within this specification.

Please note that the following specifications represent minimum general terms or requirements. While it is not the intent of this purchaser to preclude any qualified bidder from submitting a proposal it must be clear that any bidder deviating in any substantial manner from these specifications will be rejected as being non-compliant.

Finally, manufacturers or distributors for manufacturers submitting bids shall include the following information with their proposal:

MINIMUM REQUIRED STANDARDS:

The highest degree of quality, both in the materials and in the building processes, is required for the emergency medical vehicle being proposed. At a minimum the manufacturer being proposed must meet all current mandated and voluntary ambulance design standards in effect at the date of the proposal submission. All current Federal Motor Vehicle Safety Standards (FMVSS) must be met. A federally approved FMVSS compliance sticker must be affixed to the vehicle.

The manufacturer being proposed shall build new vehicles in addition to performing vehicle rechassis and refurbishment as required under this specification.

The manufacturer shall also comply with Ford Motor Company's QVM program. A copy of the manufacturers current QVM certification must be submitted with the bid.

The current QVM certification is included.
Yes _____ No _____ Initial: _____

Manufacturers or dealers for manufacturers submitting bids must be licensed as a NEW JERSEY NEW AND USED MOTOR VEHICLE DEALER in accordance with the provisions of N.J.S.A. 39: 10-19.

PROPOSAL COMPLETION PROCESS:

Various areas in the following specifications require a response from the bidder. In order to aid in the evaluation process all responses must be consistent and, most importantly, legible. Therefore, the areas that are to be completed by the bidder, along with any other materials that may be submitted by the bidder, must be typed. Bids that are submitted with either hand-written responses, or with hand stamped responses shall be automatically rejected as being non-compliant.

Does the bidder understand this requirement?

Yes _____ No _____ Initial: _____

AMBULANCE SPECIFICATIONS

PENNSAUKEN EMS
5605 N. CRESCENT BOULEVARD
PENNSAUKEN, NJ 08110

SINGLE SOURCE MANUFACTURER:

To simplify warranty coverage and to assure a consistent level of quality throughout the vehicle, a manufacturer is desired that manufactures the major components for the ambulance (excluding the chassis). Major components are defined as including the module body, the aluminum interior cabinets, and the converter-added electrical wiring system. This is required due to the possibility that repairs may be required during the refurbishment process. This purchaser understands that manufacturers may purchase some elements, such as switches, boards, etc. with which to manufacture a system.

Further, this specification requires the vehicle manufacturer to own the design of, as well as the rights to, the onboard converter-added electrical system. Again, this is required should repairs or modifications/upgrades be required. Generic aftermarket systems that are manufactured by an outside company and installed by the vehicle converter are not acceptable.

These requirements are addressed elsewhere within this specification where the specific defined items are located. Manufacturers who outsource any of the above-referenced components shall be considered non-responsive and will be rejected.

Bidder states that the represented vehicle builder manufactures all of the major components as defined above:

Yes _____ No _____ Initial: _____

Bidder states that the represented vehicle builder owns the design of the converter-added electrical system, as well as all rights to that system and any software that may be required:

Yes _____ No _____ Initial: _____

Component manufacturer (by company name):

Modular Body: _____

Interior Cabinets: _____

Electrical Wiring System: _____

QUOTATION:

The overall quotation shall include a firm price for a vehicle meeting these specifications. The length of time that the price will be held shall be clearly stated in the quotation. The quotation shall include a specific delivery window based on the number of calendar days following the award of the contract. The model year of both the chassis and the rechassis shall be clearly stated in the contract.

AMBULANCE SPECIFICATIONS

PENNSAUKEN EMS
5605 N. CRESCENT BOULEVARD
PENNSAUKEN, NJ 08110

WARRANTY:

The proposal shall include all warranties that are required in the following detailed specification. Lifetime warranties will not be accepted because of their unclear nature of duration. All warranties must have specific time durations and shall define warranties on specific components. The minimum acceptable warranty periods are noted below. In the blank lines the bidder shall note the terms of the warranties that apply to the manufacturer being proposed. It should be noted that the refurbishment work performed shall NOT compromise any remaining warranty as provided by the original ambulance manufacturer.

MODULAR BODY STRUCTURAL WARRANTY: Additional 5 years/Unlimited Miles
Proposed warranty term: _____ years/_____ Miles

Note: The structural warranty, as noted in the structural section of this specification, will include the module doors, continued module body door alignment, and all interior cabinet construction. It shall be extended on 5 year intervals in the event that the body is placed on a new chassis provided that (1) the re-chassis is performed by the original manufacturer or dealer, (2) the structural warranty has not expired at the time of the re-chassis, and (3) this purchaser approves any structural repairs at the time of the re-chassis. These terms and conditions must be explicitly stated in the manufacturers warranty certificate.

Does the structural warranty proposed comply with the above-stated terms and conditions? Yes _____ No _____

REMOUNT CONVERSION WARRANTY: 2 Years/24,000 Miles
Proposed warranty term: _____ year(s), _____ Miles

PAINT WARRANTY: 4 Years/48,000 Miles
Proposed warranty term: _____ year(s), _____ Miles

For verification of the completed warranty terms stated above the bidder must include printed manufacturers warranty certificates that meet or exceed the minimum required periods stated above.

Are the manufacturers warranties included? Yes _____ No _____

Warranties shall not be pro-rated in any manner and shall be transferable for their duration. All warranties shall be from the manufacturer as opposed to a distributor or service center. This is necessary for the protection of the purchaser, and to guarantee a certain known level of service and warranty. If, however, the bidder feels that it is necessary to modify the manufacturers warranties, then the bidder shall state why this modification is necessary. In addition, the bidder shall provide a full descriptive warranty certificate describing the warranty modification and the fact that it takes specific precedence over the warranty offered by the manufacturer. If no such certificate is provided, then the modified warranty shall be considered invalid and the manufacturers warranty shall remain in force. If a warranty modification is proposed through either a distributor or service center, then complete financial statements for that business covering the past five (5) years MUST BE SUBMITTED with the bid. If the manufacturer states that no party is permitted to modify its warranty, then any warranty modification provided by the bidder, despite being in writing, shall automatically be

AMBULANCE SPECIFICATIONS

PENNSAUKEN EMS
5605 N. CRESCENT BOULEVARD
PENNSAUKEN, NJ 08110

rejected.

Does the bidder conform to the above-written section? Yes ___ No ___

In order to simplify the evaluation process the following questions must be answered and this section must be initialed by the bidder.

Are the warranties pro-rated in any manner? Yes ___ No ___
If yes explain.

Are the warranties transferable? Yes ___ No ___
If yes explain.

Has the bidder modified the manufacturers warranties? Yes ___ No ___
If yes explain.

If yes was chosen above, has the bidder included modified written warranties? Yes ___ No ___
If no explain.

If 'yes' was chosen above, has the bidder included financial statements, for the last five (5) years, of the warranty modifier? Yes ___ No ___
If 'no' explain.

Bidder shall initial that this section is understood and has been answered truthfully. Initials: _____

Note: Bidders who are found to be untruthful in this, or in any other section of this bid, will have their bid automatically rejected.

AMBULANCE SPECIFICATIONS

PENNSAUKEN EMS
5605 N. CRESCENT BOULEVARD
PENNSAUKEN, NJ 08110

SERVICE AVAILABILITY:

Service will be a major factor in the award of this proposal. Qualifications, experience and convenience will be determining factors in defining acceptable service. A service facility authorized to provide both chassis and conversion warranty service is required. Service facilities that rely on an arrangement of a third party not bound by contract for chassis warranty service is unacceptable. The service facility must certify to be a Ford Authorized Warranty Center to maintain a constant source of information from Ford Motor Company through the Online Automotive Service Information System (OASIS).

The service facility shall maintain a New Jersey Registered Body Shop License and an onsite body shop repair center with an environmentally protected paint spray booth and custom frame machine to handle repairs of the type proposed. Collision repairs shall not be subcontracted to third party vendors.

In addition, a service facility within the radius as described below will be required. The manufacturer shall train personnel performing the service, with emphasis in the area of electrical service.

PICKUP AND DELIVERY SERVICE IS REQUIRED.

Radius from purchaser: Not more than 30 miles.

Facility name: _____

Address: _____

City: _____ State: _____

Contact: _____

Phone #: 1-(____)-____-_____

Training Description: _____

AMBULANCE SPECIFICATIONS

PENNSAUKEN EMS
5605 N. CRESCENT BOULEVARD
PENNSAUKEN, NJ 08110

REFERENCES:

The proven durability and reliability of this product is of the utmost concern. Each bidder submitting a proposal must furnish references consisting of in-service units of similar chassis make and conversion processes being proposed.

All references shall include owner, address, contact name and phone number, and the model owned. A minimum of ten (10) references shall be provided:

1. Owner: _____

Address: _____

Contact: _____

Phone #: 1-(_____) - ____ - _____

Model: _____ Year: _____

2. Owner: _____

Address: _____

Contact: _____

Phone #: 1-(_____) - ____ - _____

Model: _____ Year: _____

3. Owner: _____

Address: _____

Contact: _____

Phone #: 1-(_____) - ____ - _____

Model: _____ Year: _____

4. Owner: _____

Address: _____

Contact: _____

Phone #: 1-(_____) - ____ - _____

Model: _____ Year: _____

5. Owner: _____

Address: _____

Contact: _____

AMBULANCE SPECIFICATIONS

PENNSAUKEN EMS
5605 N. CRESCENT BOULEVARD
PENNSAUKEN, NJ 08110

Phone #: 1-(____)-____-____

Model: _____ Year: _____

6. Owner: _____

Address: _____

Contact: _____

Phone #: 1-(____)-____-____

Model: _____ Year: _____

7. Owner: _____

Address: _____

Contact: _____

Phone #: 1-(____)-____-____

Model: _____ Year: _____

8. Owner: _____

Address: _____

Contact: _____

Phone #: 1-(____)-____-____

Model: _____ Year: _____

9. Owner: _____

Address: _____

Contact: _____

Phone #: 1-(____)-____-____

Model: _____ Year: _____

10. Owner: _____

Address: _____

Contact: _____

Phone #: 1-(____)-____-____

Model: _____ Year: _____

AMBULANCE SPECIFICATIONS

PENNSAUKEN EMS
5605 N. CRESCENT BOULEVARD
PENNSAUKEN, NJ 08110

LIABILITY:

The bidder shall defend, indemnify, and save harmless the purchaser and its officials from all claims, demands, payments, suits, actions, recoveries, and judgments of every description, whether or not well founded in law, brought or recovered against it, by reason of any act or omission of said bidder, his agents or employees, in the execution of the contract or in consequence of insufficient protection or for the use of any patented invention by said bidder, and a sum sufficient to cover aforesaid claims may be retained by the purchaser from money due or to become due to the bidder under this contract, until such claims have been discharged or satisfactorily secured.

Each bidder must furnish a Certificate of Insurance showing aggregate total of insurance which shall not be less than ten million dollars (\$10,000,000).

Certificate of Insurance included with proposal? Yes _____ No _____

In addition, the bidder is to assume any risk of loss to the ambulance until the ambulance is delivered to this purchaser.

Does the bidder understand this requirement? Yes _____ No _____

INSPECTION TRIP:

An inspection trip shall be provided by the bidder. The inspection trip shall take place during the latter stages of the manufacturing process. The trip shall include transportation, room, and board for one day/night stay. A trip requiring travel of more than 350 miles shall be via commercial air carrier. Under no circumstances shall air travel be via private or corporate aircraft.

Number of personnel: One (1)

Inspection trip included in bid: Yes _____ No _____

PAYMENT:

Payment shall be made on delivery of the purchased item, or upon completion of all work contracted for (whichever occurs later) and performed to the satisfaction of the purchaser. Clauses requiring prepayment of any portion of the contract amount will render the bid non-responsive whereupon it will be rejected.

Does the bidder comply with this requirement? Yes _____ No _____
If no explain:

DELIVERY PROCESS:

The vehicle shall be delivered over the road to the purchaser. Delivery shall be stated in number of calendar days after award of contract. The purchaser has the right to reject the vehicle if it does not conform to these specifications to the satisfaction of the purchaser.

Does the bidder understand this requirement? Yes _____ No _____

AMBULANCE SPECIFICATIONS

PENNSAUKEN EMS
5605 N. CRESCENT BOULEVARD
PENNSAUKEN, NJ 08110

PRICE AND TAXES:

All prices quoted shall be for a definite fixed price unless otherwise specified. Prices shall exclude Federal, State, and other taxes to the extent that this purchaser is exempt. All pricing shall be F.O.B.

FOB: Pennsauken, New Jersey

SPECIFICATION DESIGN:

The following specifications were created by the purchaser in order to best describe a need. However, it is not the intent of the purchaser to exclude any manufacturer from submitting a bid on these specifications. In many places required equipment or features are identified by brand name. The bidder shall note that the use of brand names within this document is meant to describe a required level of quality or performance. The bidder may substitute equipment or features provided that the substitutions meet the intent of the specification. The bidder shall note, however, that substitute components shall be included in the list of exceptions. Exceptions should be listed per the following bid completion requirements.

BID COMPLETION REQUIREMENTS:

1. All proposals shall be submitted to:

Purchaser: _____
Address: _____
City: _____ State: _____ Zip Code: _____
Attention: _____

Proposals must be submitted by: ____/____/____ at ____:

2. All proposals shall be submitted in a sealed envelope with the following information marked on the outside of the envelope:

BID FOR NEW EMERGENCY MEDICAL VEHICLE RECHASSIS

3. All proposals shall be submitted in a hard-bound binder. In order to facilitate evaluation, the binder shall be divided by header into the following minimum sections:

- A. Proposal: Bidders proposal showing product bid, model year, price, and delivery date.
- B. Specification: Purchasers advertised specifications completed as required.
- C. Warranty: Complete written certificates as offered by the bidder.

Bidders proposal meets all of the requirements listed above. Yes _____
No _____ Initials: _____

AMBULANCE SPECIFICATIONS

PENNSAUKEN EMS
5605 N. CRESCENT BOULEVARD
PENNSAUKEN, NJ 08110

INFORMATION TO BE SUBMITTED WITH PROPOSAL:

The information requested within this bid must be furnished in full. Any bidder not completing this proposal or not furnishing any required information will not be considered. If a bidder will not furnish a material or fabrication process exactly as described in this specification, then that difference must be designated in the list of exceptions. If a substitution is being proposed, then the bidder must note the section to which the alternative is being proposed and provide technical data, supported by a registered engineer, supporting the fact that the substitute is equal to or better than the item as specified. If this data is not submitted with the bid, then the bid shall be rejected as being non-compliant. Bidder added narrative describing a substitution as being a clarification, exceeding, being equal to, etc. will not be accepted. Statements such as these, with or without the technical data described in this section, will cause the bid to be rejected as being non-compliant. This purchaser reserves the right to require samples of any deviating material to be provided for evaluation.

Does the bidder comply with these requirements?
Yes _____ No _____ Initial: _____

DIRECTIONS FOR RESPONDING TO EACH SECTION:

Each individual section of the specification shall be followed by three (3) response lines. The lines shall read as follows:

Above section bid exactly as written. _____
Section not provided. _____
Bidder is offering an alternative to this section. _____

On the line to the right of each statement the bidder shall mark an X to signify the appropriate response. If a bidder is offering an alternative to the written section, then an exception must be taken for the section. The exception must be accompanied by data supported by a registered engineer to demonstrate the equivalency of the alternate item. The bidder shall note that the data submitted must correspond with the substitutions offered. If the data submitted does not cover all substitutions offered, then the bid shall be rejected as being non-compliant.

Does the bidder understand this requirement?
Yes _____ No _____ Initial: _____

AMBULANCE SPECIFICATIONS

PENNSAUKEN EMS
5605 N. CRESCENT BOULEVARD
PENNSAUKEN, NJ 08110

EXCEPTIONS TO SPECIFICATIONS:

Exceptions to these specifications shall be noted below. All exceptions taken shall be recorded per the guidelines defined above. Each exception shall be noted by page number and item header. If additional space is required for exceptions, then the bidder shall use additional paper as necessary, however the same format shall be used.

Page #: _____ Header: _____
Exception: _____

AMBULANCE SPECIFICATIONS

PENNSAUKEN EMS
5605 N. CRESCENT BOULEVARD
PENNSAUKEN, NJ 08110

Page #: _____ Header: _____
Exception: _____

Page #: _____ Header: _____
Exception: _____

Page #: _____ Header: _____
Exception: _____

Page #: _____ Header: _____
Exception: _____

AMBULANCE SPECIFICATIONS

PENNSAUKEN EMS
5605 N. CRESCENT BOULEVARD
PENNSAUKEN, NJ 08110

ORIGINAL VEHICLE INFORMATION:

CONVERSION INFORMATION: Vehicle 1

Original Horton I.D. #15906
Model: Horton 453
Type: III
Cab to Axle: 80"
Body Length: 145"
Body Width: 96.25"
Interior Height: 72"
Cab Connection Type: Walkthrough
Body Mount Style: ViTech
Fuel Fill Location: Street Side Standard
Electrical System: Intelliplex Multiplex Electrical System.

CHASSIS INFORMATION:

Year: 2014
Make: Ford
Model: E-350
Miles: Unknown
VIN: 1FDWE3FS9DDB28480

CONVERSION INFORMATION: Vehicle 2

Original Horton I.D. #16480
Model: Horton 453
Type: III
Cab to Axle: 80"
Body Length: 145"
Body Width: 96.25"
Interior Height: 72"
Cab Connection Type: Walkthrough
Body Mount Style: ViTech
Fuel Fill Location: Street Side Standard
Electrical System: Intelliplex Multiplex Electrical System.

CHASSIS INFORMATION:

Year: 2015
Make: Ford
Model: E-350
Miles: Unknown
VIN: 1FDWE3FS6FDA08963

Above section bid exactly as written:

Section not provided:

Bidder is offering an alternative to this section:

AMBULANCE SPECIFICATIONS

PENNSAUKEN EMS
5605 N. CRESCENT BOULEVARD
PENNSAUKEN, NJ 08110

RETURN ITEMS:

The following items are to be returned to the purchaser at the conclusion of all work contracted for:

Vehicle 1

Used Chassis Returned: No
Used Chassis Disposed of by Dealer: No, Insurance Total Loss

Vehicle 2

Used Chassis Returned: No
Used Chassis Disposed of by Dealer: Yes

Above section bid exactly as written: _____
Section not provided: _____
Bidder is offering an alternative to this section: _____

CHASSIS:

The chassis required for this project is specified in detail below. Failure of the bidder to provide the chassis exactly as specified will be grounds for rejection of the bidder's proposal as being non-responsive. Exceptions will be made only if the bidder can prove that a required feature is unavailable from the chassis O.E.M.

CHASSIS 2019/21 FORD 138" E350 DUAL WHEEL CUTAWAY:

The vehicle converter shall supply one 2019 and one 2021 138" wheelbase Ford E Series cutaway chassis. The chassis shall include Ford's Ambulance Prep Package.

Above section bid exactly as written: _____
Section not provided: _____
Bidder is offering an alternative to this section: _____

ENGINE AND RELATED EQUIPMENT:

-7.3L V8 Gasoline: 350HP @ 3,900RPM and 468FT/LB torque @ 3,900RPM
-40 gallon fuel tank mounted between the frame rails aft of the rear axle.

Above section bid exactly as written: _____
Section not provided: _____
Bidder is offering an alternative to this section: _____

TRANSMISSION:

-Automatic. electronic 6-Speed with overdrive
-Transmission Oil Cooler

Above section bid exactly as written: _____
Section not provided: _____
Bidder is offering an alternative to this section: _____

AMBULANCE SPECIFICATIONS

PENNSAUKEN EMS
5605 N. CRESCENT BOULEVARD
PENNSAUKEN, NJ 08110

REAR AXLE:

-Ratio: 4.56:1 limited slip

Above section bid exactly as written: _____

Section not provided: _____

Bidder is offering an alternative to this section: _____

OVERALL WEIGHT RATINGS:

-GVW: 11,500 lbs.

-Front Springs: 4,600 lbs.

-Rear Springs: 7,800 lbs.

-Stabilizer Bar: Front and rear

Above section bid exactly as written: _____

Section not provided: _____

Bidder is offering an alternative to this section: _____

TIRES AND WHEELS:

-Quantity of seven (7) tires with spare shipped loose

-Tire size to be 225/75R16 Load Range 'E'

-Tires shall be all season radials

-16" steel wheels

Above section bid exactly as written: _____

Section not provided: _____

Bidder is offering an alternative to this section: _____

BRAKES:

-Front and Rear: Four wheel disk with antilock

-Power Assist

-Parking Brake: Foot Operated, hand release

Above section bid exactly as written: _____

Section not provided: _____

Bidder is offering an alternative to this section: _____

AMBULANCE SPECIFICATIONS

PENNSAUKEN EMS
5605 N. CRESCENT BOULEVARD
PENNSAUKEN, NJ 08110

INTERIOR APPOINTMENT STANDARDS:

- Power steering
- Tilt steering with factory speed control
- Dual padded sun visors
- Power door locks
- Power windows
- Telescopic trailer tow mirrors
- 12V power point
- Heat/Air conditioning
- O.E.M. cloth-covered seats
- Rubber floor covering
- Driver and passenger airbags
- AM/FM stereo with Bluetooth and USB input
- Factory gauges for oil pressure, fuel capacity, and water temperature. The converter-added digital display shall provide both ammeter and voltmeter.

Above section bid exactly as written: _____

Section not provided: _____

Bidder is offering an alternative to this section: _____

ADDITIONAL APPOINTMENT STANDARDS:

- Chrome front bumper and grille surround
- Instrument panel message center
- Interval wipers
- LED ICC lights
- Dual seal beam, fixed lens headlights
- Daytime running lights
- Sound reduction package
- Integrated auxiliary idle control
- Auxiliary heat/AC connections
- Front license plate bracket
- Under hood service light
- Remote keyless entry
- Hill start assist
- Traction control
- Electronic stability control
- Fleet Telematics Modem

Above section bid exactly as written: _____

Section not provided: _____

Bidder is offering an alternative to this section: _____

BATTERIES:

The vehicle shall be equipped with two (2) HD OEM batteries located in body as noted in specifications.

Above section bid exactly as written: _____

Section not provided: _____

Bidder is offering an alternative to this section: _____

AMBULANCE SPECIFICATIONS

PENNSAUKEN EMS
5605 N. CRESCENT BOULEVARD
PENNSAUKEN, NJ 08110

ALTERNATORS:

Single OEM extra HD alternator shall be installed by the chassis manufacturer. Alternator shall provide a total of 240 amps.

Above section bid exactly as written: _____
Section not provided: _____
Bidder is offering an alternative to this section: _____

WARRANTY:

The chassis manufacturer's standard vehicle warranty policies shall apply.

Above section bid exactly as written: _____
Section not provided: _____
Bidder is offering an alternative to this section: _____

CHASSIS SPECIAL INSTRUCTION

SPECIAL INSTRUCTION: CHASSIS KEY REQUIREMENT: ORDER OR RE-KEY CHASSIS ALIKE USING KEY CODE 0405X.

Above section bid exactly as written: _____
Section not provided: _____
Bidder is offering an alternative to this section: _____

CHASSIS INTERIOR COLOR:

The chassis interior shall be O.E.M. gray.

Above section bid exactly as written: _____
Section not provided: _____
Bidder is offering an alternative to this section: _____

CHASSIS HARDWARE AND ACCESSORIES:

The items to follow represent chassis modifications, hardware, and accessories that are required. Failure to provide these features will be cause for rejection of the bidder's proposal as being non-responsive.

STAINLESS STEEL WHEEL COVERS

Stainless steel DOT approved wheel inserts shall be installed on all four outside wheels of the chassis.

Above section bid exactly as written: _____
Section not provided: _____
Bidder is offering an alternative to this section: _____

AMBULANCE SPECIFICATIONS

PENNSAUKEN EMS
5605 N. CRESCENT BOULEVARD
PENNSAUKEN, NJ 08110

DIAMOND PLATE RUNNING BOARDS:

Embossed diamond plate running boards shall be installed on each side of the cab at the cab entry points. The running boards shall be .125" thick 3003-H14 alloy polished aluminum embossed diamond tread plate. The design of the running boards shall incorporate grip strut inserts, welded into place, for better foot traction and drainage. They shall include a splash shield at the forward end to protect the vehicle from spray and road debris.

Above section bid exactly as written: _____
Section not provided: _____
Bidder is offering an alternative to this section: _____

REAR STEP/BUMPER ASSEMBLY:

The rear of the vehicle shall be equipped with a step/bumper assembly to be fabricated from .125" polished aluminum diamond Treadplate. The assembly shall be spaced out from the rear kick plate a minimum of 1.5". The center section of the assembly shall pivot up and over center on two (2) .5" bolts to stay in the 'up' position. This section shall be a minimum of 9.5" deep and shall be constructed with grip-strut on the stepping surface to provide for better footing. The ends of the assembly shall be fixed diamond tread plate. The distance between the top of the step and the ground shall not be less than 16". The fold-up portion of the step shall be firmly held down with two (2) pin and socket holders to prevent rattling while the vehicle is in motion.

Above section bid exactly as written: _____
Section not provided: _____
Bidder is offering an alternative to this section: _____

MIRRORS: OEM

The mirror set shall be OEM supplied and installed by the chassis manufacturer.

Above section bid exactly as written: _____
Section not provided: _____
Bidder is offering an alternative to this section: _____

DOOR CHECK KIT, CHASSIS DOOR STRAPS

One set of Crown Company, Part Number KFO68700 door straps shall be installed on the chassis doors. These straps shall prevent the chassis door hinges from overextending resulting in damage to the fender and door edge.

Above section bid exactly as written: _____
Section not provided: _____
Bidder is offering an alternative to this section: _____

AMBULANCE SPECIFICATIONS

PENNSAUKEN EMS
5605 N. CRESCENT BOULEVARD
PENNSAUKEN, NJ 08110

AM/FM/CD PLAYER:

The OEM AM/FM/CD player shall be installed in the cab and wired to the OEM cab speakers. This unit shall also be capable of being wired to patient area speakers should they be required within this specification.

Above section bid exactly as written: _____
Section not provided: _____
Bidder is offering an alternative to this section: _____

SPECIAL INSTRUCTION, CHASSIS HARDWARE:

INSTALL A ROADMASTER ANTI-SWAY BAR ON THE REAR SUSPENSION.

Above section bid exactly as written: _____
Section not provided: _____
Bidder is offering an alternative to this section: _____

RECHASSIS:

This section provides detail of the work to be performed in relation to the body being remounted onto the chassis described above.

BODY ATTACHMENT:

The manufacturer shall install all new body mounts that match the mounts on the existing unit. The mounts provided, in addition to duplicating the original mounts, shall have been subject to Hygee sled testing of not less than 30Gs. Any exception to this requirement may cause the bid to be rejected.

In addition to the requirements listed above the manufacturer shall also install all new cab to body seal or bellows as may be applicable for the chassis specified.

Above section bid exactly as written: _____
Section not provided: _____
Bidder is offering an alternative to this section: _____

SPECIAL INSTRUCTION, BODY MODIFICATIONS

SPECIAL INSTRUCTIONS: DELETE CURBSIDE WINDOW FOR INSTALLATION OF 4-POINT RESTRAINT SYSTEM ON SQUAD BENCH.

Above section bid exactly as written: _____
Section not provided: _____
Bidder is offering an alternative to this section: _____

MODULE BODY HARDWARE:

The following section lists hardware items that are to be installed on the vehicle body.

AMBULANCE SPECIFICATIONS

PENNSAUKEN EMS
5605 N. CRESCENT BOULEVARD
PENNSAUKEN, NJ 08110

COMPARTMENT AND ENTRY DOOR SEALS:

The manufacturer shall replace all body door seals with new. These seals shall be inserted into the grooves on the door frames without the use of glue. Seals installed on the door openings are prohibited.

Above section bid exactly as written: _____
Section not provided: _____
Bidder is offering an alternative to this section: _____

SPLASH SHIELDS:

The current stainless steel splash shields on the lower front face of the body are to be replaced with new stainless steel splash shields with a #8 mirror finish and shall match the height of the diamond plate corners guards that are to wrap around the lower corner posts on the side of the body.

Above section bid exactly as written: _____
Section not provided: _____
Bidder is offering an alternative to this section: _____

STAINLESS STEEL FENDERS:

New polished stainless steel fender flares shall be installed above each wheel well opening. The mounting of these flares shall provide for no contact between the stainless steel fender, fasteners, and the aluminum body skin. This is done to eliminate any contact between dissimilar metals and the electrolysis that may result.

Above section bid exactly as written: _____
Section not provided: _____
Bidder is offering an alternative to this section: _____

REPLACE STAINLESS STEEL RUB RAIL:

New polished stainless lower body rubrails shall be installed as noted below. Each rail shall be securely installed yet simple to remove and replace in the event of damage. Each rail is to be a three piece assembly to include a channel style rub rail and two removable end caps. These rails are to have a #8 mirror finish. Rubber rub rails are not acceptable to this purchaser.

Locate:

Above section bid exactly as written: _____
Section not provided: _____
Bidder is offering an alternative to this section: _____

AMBULANCE SPECIFICATIONS

PENNSAUKEN EMS
5605 N. CRESCENT BOULEVARD
PENNSAUKEN, NJ 08110

REPLACE DIAMOND PLATE CORNER GUARDS:

The diamondplate corner guards are to be replaced with new material as noted below. The design of the guard is to be identical to the existing guard and is to be made from polished aluminum diamondplate material.

Above section bid exactly as written: _____
Section not provided: _____
Bidder is offering an alternative to this section: _____

REAR ACCESS DOOR HOLD-OPEN DEVICES:

Cast Products "Grabber" style rear door hold-open devices shall be installed to maintain the rear access doors in the 'open' position. One loop shall be installed on each door, and the appropriate socket shall be installed on the body. These devices are to be chrome finish in lieu of Cast Products' standard finish.

Above section bid exactly as written: _____
Section not provided: _____
Bidder is offering an alternative to this section: _____

REPLACE THE DIAMOND PLATE RISER:

The rear diamondplate riser between the bottom of the rear entry door opening and the bottom of the body is to be replaced. The replacement material shall be polished aluminum diamondplate to match the material elsewhere on the body. The manufacturer shall include any necessary holes to accommodate other items installed in this area.

Above section bid exactly as written: _____
Section not provided: _____
Bidder is offering an alternative to this section: _____

GAS HOLDOPEN:

The gas piston style door holdopens shall be replaced as noted below. Please note that spring-loaded holdopens are not acceptable.

Door: ALL COMPARTMENTS (6)
SIDE ENTRY DOOR (1)
INTERIOR CABINET DOORS (2)

Above section bid exactly as written: _____
Section not provided: _____
Bidder is offering an alternative to this section: _____

DOOR LOCKS WIRED THROUGH OEM SWITCHES:

The power door locks specified above are to be wired to the O.E.M. chassis door lock switches.

Above section bid exactly as written: _____
Section not provided: _____
Bidder is offering an alternative to this section: _____

AMBULANCE SPECIFICATIONS

PENNSAUKEN EMS
5605 N. CRESCENT BOULEVARD
PENNSAUKEN, NJ 08110

RECESSED LICENSE PLATE BRACKET:

A Cast Products recessed license plate bracket shall be installed as noted below. The bracket will include lighting in the top to illuminate the license plate.

Locate: Center Rear Riser

Above section bid exactly as written: _____
Section not provided: _____
Bidder is offering an alternative to this section: _____

PAINT AND STRIPING:

Vehicles paint and striping requirements, as needed, as listed below:

Above section bid exactly as written: _____
Section not provided: _____
Bidder is offering an alternative to this section: _____

REPAINTING OF THE BODY:

The manufacturer shall perform the following work on the body exterior:

1. Remove all body doors, door handles, hinges, windows and hardware
2. Sand body and doors
3. Apply conversion coating
4. Repaint body and doors per color instructions listed below
5. Reinstall doors, door handles, hinges, windows and hardware unless new parts are specified

Above section bid exactly as written: _____
Section not provided: _____
Bidder is offering an alternative to this section: _____

PAINT:

An acrylic urethane paint process is required on the module body. This process shall extend to the chassis if the vehicle converter must perform paint or body work to the chassis. The acrylic urethane process is required so that the highest possible gloss will be provided. Acrylic urethane possesses superior color and luster retention characteristics when compared to other types of paint. In addition, an acrylic urethane process provides a higher resistance to chemical sprays, salt sprays, humidity, and temperature changes. Lastly, this process, given the expected life of the vehicle and its heavy-duty cycle, will best resist chipping. The final paint application shall be free of material application imperfections such as orange peel, streaking, or a dull finish. Once painted, the vehicle shall be inspected under a black light to bring any small imperfections, not seen with the naked eye, to attention. Any such imperfections shall be repaired prior to the conclusion of the paint inspection process. The final application shall provide a high gloss on all body surfaces including the roof and excluding the underside.

Above section bid exactly as written: _____
Section not provided: _____
Bidder is offering an alternative to this section: _____

AMBULANCE SPECIFICATIONS

PENNSAUKEN EMS
5605 N. CRESCENT BOULEVARD
PENNSAUKEN, NJ 08110

PREPARATION:

To produce an acceptable paint finish, the following paint process must be used:

All existing paint and other finish residue must be completely removed from the body exposing bare aluminum. All body doors and hardware must be removed prior to any wash, prime, or final paint application. All material impurities and oils must be removed from the bare aluminum body. The entire module body, excluding the underside, will have all visible welds ground down and all material imperfections filled. All holes (e.g. for hinge mounting, etc.) shall be plugged at this stage to prevent any cleaning agents from entering the module body framework. The body shall be prepared for paint by spraying with a phosphoric acid-based cleaner to remove dirt and oil and to etch the body for superior paint adhesion. The application of the cleaner shall be followed with a water rinse. Next, a chromium-free titanium composite coating shall be applied to the body to enhance paint adhesion and to prevent corrosion. The body shall be rinsed with de-ionized water to prevent salts from accumulating on the surface. The body will, then, be baked dry prior to the application of three (3) coats of Sikkens Colorbuild primer. The primed body shall be finish sanded and made ready for the final paint application. All module doors, though handled separately from the body, shall undergo the same process as described above.

Above section bid exactly as written: _____
Section not provided: _____
Bidder is offering an alternative to this section: _____

PAINT MANUFACTURER'S INSPECTIONS:

The manufacturer shall maintain an outside paint audit system. As part of that audit the paint manufacturer shall regularly receive and test sample paint panels that are painted along with module bodies. The paint manufacturer shall also provide regular onsite inspections of the vehicle manufacturers paint process to assure a consistent level of quality. Audit reports from these inspections shall be provided to management.

Above section bid exactly as written: _____
Section not provided: _____
Bidder is offering an alternative to this section: _____

ADDITIONAL CORROSION PREVENTION MEASURES:

All locations where fasteners penetrate the outer skin of the module body shall be coated with ECK anti-corrosion agent. In addition, all fasteners that penetrate the outer skin of the module body shall be treated with an anti-corrosion agent to assure the maximum protection against vehicle corrosion and electrolysis.

Above section bid exactly as written: _____
Section not provided: _____
Bidder is offering an alternative to this section: _____

AMBULANCE SPECIFICATIONS

PENNSAUKEN EMS
5605 N. CRESCENT BOULEVARD
PENNSAUKEN, NJ 08110

NON-METALLIC HOLE INSERTS:

All locations where light heads and fenders attach to the aluminum body shall utilize threaded Nylon inserts to isolate the fasteners from the aluminum module body skin and structure. This practice, along with the other measures described above, shall act to minimize the threat of electrolysis.

Above section bid exactly as written: _____
Section not provided: _____
Bidder is offering an alternative to this section: _____

PAINT WARRANTY:

The paint warranty provided by the converter must meet all warranty standards as set forth elsewhere within this specification. At a minimum this warranty will be 4 years/48,000 miles. The warranty MUST NOT be prorated in any manner. Bidder must submit a manufacturer's paint warranty certificate with the bid. Failure to do so will result in automatic rejection of the bidder's proposal.

Above section bid exactly as written: _____
Section not provided: _____
Bidder is offering an alternative to this section: _____

CHASSIS PAINT COLOR:

The OEM chassis manufacturer's bright white paint shall be ordered on the chassis.

Above section bid exactly as written: _____
Section not provided: _____
Bidder is offering an alternative to this section: _____

STRIPE CHASSIS TO MATCH ORIGINAL:

The new chassis shall be striped to match the original vehicle.

STRIPE, CUSTOM: HORTON PVS DESIGN PER PREVIOUS PAINT SCHEMES. PAINT COLOR: BLUE, PAINT NUMBER: FLNA9237. INSTALL WHITE SCOTCHLITE BETWEEN ALL STRIPES.

Above section bid exactly as written: _____
Section not provided: _____
Bidder is offering an alternative to this section: _____

AMBULANCE SPECIFICATIONS

PENNSAUKEN EMS
5605 N. CRESCENT BOULEVARD
PENNSAUKEN, NJ 08110

VEHICLE STRIPING:

A special paint stripe shall be applied per the paint process description above. The stripe design shall match the photographs, diagrams, and/or drawings as provided by the purchaser as may be required. The successful bidder shall provide, prior to any paint application, CAD drawings that depict the required stripe as it will appear on the finished vehicle. The paint color and number shall be as follows:

STRIPE, CUSTOM: HORTON PVS DESIGN PER PREVIOUS PAINT SCHEMES. PAINT COLOR: BLUE, PAINT NUMBER: FLNA9237. INSTALL WHITE SCOTCHLITE BETWEEN ALL STRIPES.

Above section bid exactly as written: _____
Section not provided: _____
Bidder is offering an alternative to this section: _____

SAMPLE PAINT PANEL:

The successful bidder shall provide a painted test panel, prepared with the specified paint color and number. This process shall confirm correct paint selection, and acceptable color match with the purchaser's current vehicles.

Color: BLUE FLNA9237

Above section bid exactly as written: _____
Section not provided: _____
Bidder is offering an alternative to this section: _____

CABINET DOORS, PLEXIGLAS, HANDLES AND HARDWARE:

Information relative to interior door materials, handles, and hardware is provided below:

INTERIOR CABINET INSPECTION AND REPAIR:

All Interior cabinet latches, hinges, doors, handles, sliders, hardware and trim shall be inspected. Should any parts be recommended for replacement, then the bidder must inform this agency of any additional cost prior to the work being performed. Please note that replacement hardware, if required, should match the existing hardware. Failure to match the existing hardware must be explained in detail as an exception to this specification.

Above section bid exactly as written: _____
Section not provided: _____
Bidder is offering an alternative to this section: _____

INTERIOR COLORS, UPHOLSTERY AND SEATING:

Any required modification/refurbishment of the patient area interior is listed in detail below:

AMBULANCE SPECIFICATIONS

PENNSAUKEN EMS
5605 N. CRESCENT BOULEVARD
PENNSAUKEN, NJ 08110

REPLACE MODULE FLOOR MATERIAL:

The manufacturer shall remove and replace the entire patient area floor. The work to be performed is as follows:

1. Remove old flooring material and subfloor down to the aluminum moisture barrier.
2. Remove attendant seat base, vertical cabinet and front wall cabinet
3. Install new subfloor and flooring material as noted below
4. Reinstall all cabinetry removed to perform the work
5. Reinstall the cot mount floor hardware.
6. Reinstall stainless steel thresholds at all entry points

Please note that laying new material over top of the existing material and/or removing only the top layer of flooring material will not be acceptable. This specification requires all new material down to the bare metal. Manufacturers found to have disregarded this requirement will be required to replace the floor again at their own expense per the instructions provided and payment for the unit will not be made until all work is performed in an acceptable manner.

Type: LONSEAL LONPLATE
Color: BLACK

Above section bid exactly as written: _____
Section not provided: _____
Bidder is offering an alternative to this section: _____

REPLACE ALL INTERIOR UPHOLSTERY:

All interior upholstery shall be replaced with new material. The new upholstery shall be free of piping around the edges. Specifically, all bench cushions, CPR seat cushions, hip cushions, backrests and head bumpers shall be replaced. The foam and the vinyl material are to be included. See below for any other additional instructions.

Color: FLINT GRAY

Above section bid exactly as written: _____
Section not provided: _____
Bidder is offering an alternative to this section: _____

REPLACE DOOR HANDLE BEZELS:

The door handle bezels on the interior of the module entry doors shall be replaced. The replacement bezels are to be aluminum painted black matching the design of the current bezels.

Locate: EACH INTERIOR ACCESS DOOR PANEL

Above section bid exactly as written: _____
Section not provided: _____
Bidder is offering an alternative to this section: _____

AMBULANCE SPECIFICATIONS

PENNSAUKEN EMS
5605 N. CRESCENT BOULEVARD
PENNSAUKEN, NJ 08110

SPECIAL INSTRUCTION, INTERIOR COLORS & SEATING:

INSTALL HORTON 4-PT HARNESS ON BENCH WALL AND CPR SEAT SEATING POSITIONS ON BENCH WALL. INCLUDES NEW ATTENDANT SEAT WITH HORTON 4-PT RESTRAINT. [CHILD SAFETY-YES]

Above section bid exactly as written: _____
Section not provided: _____
Bidder is offering an alternative to this section: _____

COT MOUNTS AND ACCESSORIES:

The following section addresses cot mounting hardware instructions.

COT FLOOR PLATES:

Stainless steel floor plates, .050" thick, shall be installed on the patient area floor below the cot wheels. The floor plates shall be attached to the floor with #6 flathead stainless steel screws. The entire perimeter of each plate shall be sealed to the floor with silicone to protect the area beneath the plates from contamination.

Cot Model: STRYKER MX-PRO, STRYKER POWER-PRO XT

Above section bid exactly as written: _____
Section not provided: _____
Bidder is offering an alternative to this section: _____

SPECIAL INSTRUCTIONS, COT & PATIENT HANDLING:

SPECIAL INSTRUCTION: PERFORMANCE-LOAD FLOOR MODIFICATION AND INSTALLATION.

Above section bid exactly as written: _____
Section not provided: _____
Bidder is offering an alternative to this section: _____

SPECIAL INSTRUCTIONS, COT & PATIENT HANDLING:

SPECIAL INSTRUCTION: PROVIDE AND INSTALL STRYKER PERFORMANCE-LOAD WITH INDUCTIVE CHARGER AND FLOOR PLATE OPTION.

Above section bid exactly as written: _____
Section not provided: _____
Bidder is offering an alternative to this section: _____

LIGHTBARS:

Lightbar information, as may be required, is noted below:

AMBULANCE SPECIFICATIONS

PENNSAUKEN EMS
5605 N. CRESCENT BOULEVARD
PENNSAUKEN, NJ 08110

FRONT LIGHT BAR:

The existing cab-mounted front lightbar shall be transferred to the reburbished unit.

Above section bid exactly as written: _____

Section not provided: _____

Bidder is offering an alternative to this section: _____

ELECTRICAL EMERGENCY VISUAL WARNING SYSTEMS:

Warning lights are to be installed per the following instructions:

TRANSFER THE EXISTING CHASSIS INTERSECTION LIGHTS:

The existing intersection lights on the chassis fenders shall be transferred over to the new chassis and wired for operation.

Above section bid exactly as written: _____

Section not provided: _____

Bidder is offering an alternative to this section: _____

AUDIBLE EMERGENCY WARNING SYSTEMS:

The following audible emergency warning features shall be installed on the vehicle:

TRANSFER EXISTING SIREN HEAD TO NEW VEHICLE:

The existing vehicle siren shall be transferred to the new vehicle and wired for operation.

Above section bid exactly as written: _____

Section not provided: _____

Bidder is offering an alternative to this section: _____

ELECTRICAL POWER GROUP:

Vehicle electrical system instructions are listed within the following section:

CHASSIS ELECTRICAL HARNESS:

A new electrical harness shall be installed on the new chassis. This harness will be custom made to mate up to the existing body harness.

Above section bid exactly as written: _____

Section not provided: _____

Bidder is offering an alternative to this section: _____

AMBULANCE SPECIFICATIONS

PENNSAUKEN EMS
5605 N. CRESCENT BOULEVARD
PENNSAUKEN, NJ 08110

BATTERY SWITCH:

A two position 'On-Off' "Master" battery switch shall be installed on the vehicle within easy reach of the driver. This switch shall control power to the converter-added electrical circuits. Items specified to be wired "Battery Hot" shall not be affected by the Master battery switch. Under no circumstances shall this switch control the chassis O.E.M circuitry. All chassis power (ignition, headlights, etc.) shall remain as designed by the chassis builder.

Above section bid exactly as written: _____
Section not provided: _____
Bidder is offering an alternative to this section: _____

TRANSFER THE EXISTING HAND HELD SPOTLIGHT:

The existing hand-held spotlight shall be transferred to the new unit.

Locate: EXISTING LOCATION

Above section bid exactly as written: _____
Section not provided: _____
Bidder is offering an alternative to this section: _____

HEATING AND AIR CONDITIONING:

The following section addresses Heat/AC instructions for this vehicle.

12V HEAT/AC SYSTEM:

The 12V heat/AC system shall be installed per the instructions listed above. The BTU and CFM ratings on this unit shall be as follows:

Heat: 65,000BTU
A/C: 32,000BTU
CFM: 650

Above section bid exactly as written: _____
Section not provided: _____
Bidder is offering an alternative to this section: _____

TRANSFER THE ORIGINAL CAB CONSOLE:

The original cab console is to be transferred to the new chassis.

Above section bid exactly as written: _____
Section not provided: _____
Bidder is offering an alternative to this section: _____

TRANSFER EXISTING RADIO CABLES:

The existing radio cables shall be transferred over to the new unit.

Above section bid exactly as written: _____
Section not provided: _____
Bidder is offering an alternative to this section: _____

AMBULANCE SPECIFICATIONS

PENNSAUKEN EMS
5605 N. CRESCENT BOULEVARD
PENNSAUKEN, NJ 08110

OXYGEN AND SUCTION SYSTEMS:

Oxygen and suction requirements are listed below:

TRANSFER AND RETEST O2 SYSTEM:

The manufacturer shall transfer and retest the vehicle's existing O2 system.

Above section bid exactly as written: _____

Section not provided: _____

Bidder is offering an alternative to this section: _____

LETTERING:

Lettering information is noted in detail below:

LETTERING AND GRAPHICS: DEALER SUPPLIED AND INSTAL

Lettering and graphics to be supplied and installed by the dealer.

Description: AS FOLLOWS

!!! LETTERING AND GRAPHICS TO MATCH EXISTING FLEET SCHEME. FURTHER REQUIREMENTS SHALL BE DETERMINED AT DEALER INSPECTION AND SETUP MEETING.

Above section bid exactly as written: _____

Section not provided: _____

Bidder is offering an alternative to this section: _____