INSPECTION AND TESTING FORM

| | | DATE: | | | | |
|-------------------------|--------------------------------------|---------------------------------------|--|--|--|--|
| | | TIME: | | | | |
| SERVICE ORGANIZA | ΓΙΟΝ | PROPERTY NAME (USER) | | | | |
| Name: | | Name: | | | | |
| Address: | | Address: | | | | |
| Representative: | | | | | | |
| License No.: | | | | | | |
| | | | | | | |
| | <i>,</i> | APPROVING AGENCY | | | | |
| Contact: | | Contact: | | | | |
| | | | | | | |
| - | f. No.: | • | | | | |
| TYPE TRANSMISSIO | | SERVICE | | | | |
| □ McCulloh | | • Weekly | | | | |
| Multiplex | | □ Monthly | | | | |
| Digital | | Quarterly | | | | |
| Reverse Priority | | □ Semiannually | | | | |
| □ RF | | □ Annually | | | | |
| | | □ Other (Specify) | | | | |
| Control Unit Manufactu | irer: | Model No.: | | | | |
| | | | | | | |
| - | | | | | | |
| | | | | | | |
| | | | | | | |
| Last Date that Any Soft | ware or Configuration Was Revised: _ | | | | | |
| | ALARM-INITIATING DE | EVICES AND CIRCUIT INFORMATION | | | | |
| Quantity | Circuit Style | | | | | |
| - | | Manual Fire Alarm Boxes | | | | |
| | | Ion Detectors | | | | |
| | | Photo Detectors | | | | |
| | | Duct Detectors | | | | |
| | | Heat Detectors | | | | |
| | | Waterflow Switches | | | | |
| | | Supervisory Switches | | | | |
| | | Other (Specify): | | | | |
| | | Supervisory Switches Other (Specify): | | | | |

(NFPA Inspection and Testing 1 of 4)

| | ALARM NOTIFICATION | APPLIANCES AND CIRCUIT INFORMATION |
|------------------|--|---|
| Quantity | Circuit Style | |
| Quantity | chicale style | Bells |
| | | Horns |
| | | Chimes |
| | | Strobes |
| | | Speakers |
| | | Other (Specify): |
| No. of alarm not | - ification appliance circuits: | |
| | itored for integrity? Yes No | |
| | SUPERVISORY SIGNAL-INIT | TATING DEVICES AND CIRCUIT INFORMATION |
| Quantity | Circuit Style | |
| Q | | Building Temp. |
| | | Site Water Temp. |
| | | Site Water Level |
| | | Fire Pump Power |
| | | Fire Pump Running |
| | | Fire Pump Auto Position |
| | | Fire Pump or Pump Controller Trouble |
| | | |
| | | Fire Pump Running Generator In Auto Position |
| | | |
| | | Generator or Controller Trouble |
| | | Switch Transfer |
| | | Generator Engine Running |
| | | Other: |
| | | |
| SIGNALING LIN | | |
| | le (See NFPA 72, Table 3-6) of signaling l | |
| Quantity | | Style(s) |
| SYSTEM POWE | R SUPPLIES | |
| a. Primary (| Main): Nominal Voltage | , Amps |
| | | , Amps |
| | | ,po |
| | | |
| | - | |
| b. Secondary | | |
| | | age Battery: Amp-Hr. Rating |
| Calculate | d capacity to operate system, in hours: | 2460 |
| | Eng | ine-driven generator dedicated to fire alarm system: |
| Location | of fuel storage: | |
| TYPE BATTER | (| |
| Dry Cell | | |
| Diveen | admium | |
| □ Sealed Le | | |
| Lead-Aci | | |
| | ecify): | |
| · • | | rimary power supply, instead of using a secondary power supply: |
| - | Emergency system described in | |
| | Legally required standby descr | |
| | | ibed in NFPA 70, Article 702, which also meets the performance requirements |
| | of Article 700 or 701. | note in 1911 A 70, Article 702, which also meets the performance requirements |
| | | (NFPA Inspection and Testing 2 of 4) |

| | | | PRIOR TO AN | Y TESTING | | |
|-------------------------|-----------------|----------------------|--------------------|---------------------------|-------------|-----------|
| NOTIFICATIONS ARE MADE | | Yes No | | Who | Time | |
| Monitoring Entity | | | | | | |
| Building Occupants | s | | | | | |
| Building Managem | ent | | | | | |
| Other (Specify) | | | | | | |
| AHJ (Notified) of A | Any Impairments | | | | | |
| | | SYS | TEM TESTS AN | ID INSPECTIONS | | |
| ТҮРЕ | | Visible | Functional | Co | mments | |
| Control Unit | | | | | | |
| Interface Eq. | | | | | | |
| Lamps/LEDS | | | | | | |
| Fuses | | | | | | |
| Primary Power Sup | oply | | | | | |
| Trouble Signals | | | | | | |
| Disconnect Switches | | | | | | |
| Ground-Fault Monitoring | | | | | | |
| SECONDARY PO | WER | | | | | |
| TYPE | | Visible | Functional | Co | Comments | |
| Battery Condition | | | | | | |
| Load Voltage | | | | | | |
| Discharge Test | | | | | | |
| Charger Test | | | | | | |
| Specific Gravity | | | | | | |
| TRANSIENT SUP | PRESSORS | | | | | |
| REMOTE ANNUN | CIATORS | | | | | |
| NOTIFICATION A | PPLIANCES | | | | | |
| Audible | | | | | | |
| Visual | | | | | | |
| Speakers | | | | | | |
| Voice Clarity | | | | | | |
| voice Clarity | | | | | | |
| voice Clarity | INITIATI | ING AND SU | PERVISORY DE | | INSPECTIONS | |
| | Device | Visual | Functional | VICE TESTS AND Factory | Meas. | Dec. D. " |
| Loc. & S/N | | Visual Check | Functional Test | VICE TESTS AND | | Pass Fail |
| | Device | Visual Check □ | Functional Test | VICE TESTS AND Factory | Meas. | |
| | Device | Visual Check | Functional Test | VICE TESTS AND Factory | Meas. | |

_

Comments:

(NFPA Inspection and Testing 3 of 4)

| EMERGENCY COMMUNICATIONS EQUIPMENT | | Visual | Functional | Comments |
|--|----------|----------|---------------------|--------------------------------------|
| Phone Set | | | | |
| Phone Jacks | | | | |
| Off-Hook Indicator | | | | |
| Amplifier(s) | | | | |
| Tone Generator(s) | | | | |
| Call-in Signal | | | | |
| System Performance | | | | |
| INTERFACE EQUIPMENT | | Visual | Device Operation | Simulated Operation |
| (Specify) | | | | |
| (Specify) | | ū | | |
| (Specify) | | ā | | _ |
| SPECIAL HAZARD SYSTEMS | | _ | _ | — |
| | | | | |
| (Specify) (Specify) | | | | |
| (Specify) | | | | |
| | | _ | — | - |
| Special Procedures: | | | | |
| | | | | |
| Comments: | | | | |
| | | | | |
| | | | | |
| | | | | |
| SUPERVISING STATION MONITORING | Yes | No | Time | Comments |
| Alarm Signal | | | | |
| Alarm Restoration | | | | |
| Trouble Signal | | | | |
| Supervisory Signal | | | | |
| Supervisory Restoration | | | | |
| NOTIFICATIONS THAT TESTING IS COMPLETE | Yes | No | Who | Time |
| Building Management | | | | |
| Monitoring Agency | | | | |
| Building Occupants | | | | |
| Other (Specify) | | | | |
| The following did not operate correctly: | | | | |
| | | | | |
| | | | | |
| System restored to normal operation: Date: | Ti | me: | | |
| THIS TESTING WAS PERFORMED IN ACCORDANCE W | ITH APPL | ICABLE N | FPA STANDARDS. | |
| Name of Inspector: | | Da | ate: | Time: |
| Signature: | | | | |
| Name of Owner or Representative: | | | | |
| Date: | Time: | | | |
| Signature: | | | | |
| | | | | |
| | | | | (NFPA Inspection and Testing 4 of 4) |